

Garageflex Assembly Instructions

Product: T Rack FX9004



Package Contents:

- 1 x T Rack Frame
- 2 x Bolts and locknuts
- 2 x Channel Nuts
- 2 x Covers
- 2 x Round Connectors

Tools Required:



- Phillips Screwdriver
- Pliers



Unit 11 Westfield Farm
Medmenham
Buckinghamshire
SL7 2TA

01491 579975 | info@garageflex.co.uk
www.garageflex.co.uk

Step 1: Check all parts have been received



Step 2: Assemble and install as shown in the photos



- 1 ASSEMBLE
- 2 INSERT IN TRAK
- 3 TIGHTEN



Unit 11 Westfield Farm
Medmenham
Buckinghamshire
SL7 2TA

01491 579975 | info@garageflex.co.uk
www.garageflex.co.uk

Step 3: Slide the frame onto round connectors

Step 4: Install bolts and locknuts

Step 5: Adjust drop height as required

If you have any questions or need some advice regarding your installation, please do get in touch and we will do our best to help.

You can contact us on:

01491 579975 | info@garageflex.co.uk
www.garageflex.co.uk



Garageflex

Unit 11 Westfield Farm
Medmenham
Buckinghamshire
SL7 2TA

01491 579975 | info@garageflex.co.uk
www.garageflex.co.uk